

実開平6-55623

TRANSLATION ATTACHED

(43) 公開日 平成6年(1994)8月2日

(51) Int.Cl.¹

識別記号

庁内整理番号

F I

技術表示箇所

A 6 1 F 13/56

A 4 4 B 18/00

2119-3B

A 4 1 B 13/02

H

審査請求 未請求 請求項の数 2 O L (全 2 頁)

(21) 出願番号 実願平5-887

(22) 出願日 平成5年(1993)1月18日

(71) 出願人 000001085

株式会社クラレ

岡山県倉敷市酒津1621番地

(72) 考案者 小柳 治子


東京都中央区日本橋3丁目8番2号 株式会社クラレ内

(54) 【考案の名称】 パンツ型紙オムツ

(57) 【要約】

【目的】 効率良く簡単に製造することができ、脱衣が容易な使い勝手の良いパンツ型紙オムツを提供すること。

【構成】 パンツ型紙オムツの両脇部5に相当する部分が、穿き口2から脚出し口3にかけて分割された分割部とされており、該分割部が面ファスナー6a、6bで接合されているパンツ型紙オムツ1。



【実用新案登録請求の範囲】


【請求項1】 パンツ型紙オムツの両脇部が穿き口から脚出し口にかけて分割された分割部とされており、該分割部が面ファスナーで接合されていることを特徴とするパンツ型紙オムツ。

【請求項2】 分割部の外側辺の内面が柔軟なループバイル布帛による面ファスナーで形成されており、内側辺の外面がフック状の面ファスナーで形成されている請求項1記載のパンツ型紙オムツ。


【図面の簡単な説明】

【図1】 本考案のパンツ型紙オムツの1実施例品の斜視図である。

【図1】



【図3】




【図2】 本考案のパンツ型紙オムツの1実施例品の正面図である。

【図3】 本考案のパンツ型紙オムツの1実施例品の展開状態での平面図である。

【符号の説明】

- 1 パンツ型紙オムツ
- 2 穿き口
- 3 脚出し口
- 5 脇部 (分割部)
- 5 a, 5 b 分割面
- 6 a ループバイル布帛による面ファスナー
- 6 b フック状の面ファスナー

【図2】



Translation of Japanese laid-open
utility model application no. H6-55623

(19) JAPANESE PATENT OFFICE (JP)

(12) LAID-OPEN UTILITY MODEL GAZETTE (U)

(11) Laid-open utility model application no.

H6-55623

(43) Date laid open August 2, 1994

(51) Int. Cl. ⁵	Identifi-	Internal	FI	Technical
	cation	office	filing	Display
	code	numbers		Location

A 61 F 13/56

A 44 B 18/00

2119-3B

A 41 B 13/02 H

Examination request Not requested

Number of claims 2 (OL)

(Total of 2 pages [in the original])

(21) Application no. H5-887

(22) Filing date January 18, 1993

(71) Applicant 000001085

K.K. Kuraray

1621 Sakatzu, Kurashiki-shi,

Okayama-ken

(72) Designer H. Oyanagi

c/o K.K. Kuraray

3-8-2 Nihonbashi, Chuo-ku


Tokyo-to

(54) [Title of the design] Pants-style paper diaper

(57) [Abstract]

[Aim] to provide a pants-style paper diaper which can be manufactured easily and efficiently, and which can be easily removed and which is easy to use.

[Configuration] A pants-style paper diaper 1 in which the parts which correspond with both side parts 5 of the pants-style paper diaper are made as separator parts which separate from the waist aperture 2 to the leg aperture 3, and said separator parts are connected by surface face fasteners 6a, 6b.



[Scope of the utility model claims]

[Claim 1] A pants-style paper diaper wherein the both side parts of the pants-style paper diaper are made as separator parts which separate from the waist aperture to the leg aperture, and said separator parts are connected by surface fasteners.

[Claim 2] The pants-style paper diaper as claimed in claim 1 in which the inner surface of the outer side edge of the separator parts is formed from surface fasteners made from flexible loop-pile cloth, and the outer surface of the inner side edge is formed from hook-shaped surface fasteners.

[Brief description of the diagrams]

[Figure 1] is a perspective view of one embodiment of the pants-style paper diaper of the present design;

[Figure 2] is a front surface view of one embodiment of the pants-style paper diaper of the present design; and

[Figure 3] is a plan view of one embodiment of the pants-style paper diaper of the present design.

[Legend]


- 1 pants-style paper diaper
- 2 waist aperture
- 3 leg aperture
- 5 side part (separator part)

5a, 5b separator surfaces


6a surface fastener made of loop-pile cloth

6b hook-shaped surface fastener

[Figure 1]



[Figure 2]



[Figure 3]

